

View Certified Products Guide

The table below lists the WLAN access points (APs) and controllers that have been VIEW (Voice Interoperability for Enterprise Wireless) Certified. Only WLAN products listed in the table have been tested for compatibility and acceptable performance with Spectralink® 8440/8450/8452 and/or 8020/8030. Spectralink does not recommend or support deployments with WLAN infrastructure products not listed in the table. Supported products must be configured according to VIEW Configuration Guides for each product listed below and deployed according to: [Best Practices Guide for Deploying Spectralink 84-Series Wireless Telephones](#) and [Best Practices Guide for Deploying Spectralink 8020/8030 Wireless Telephones](#).

Each product listed in the tables below has a corresponding document. All Spectralink documents are available at <http://support.spectralink.com>. Use the dropdown menus to navigate to the VIEW Certified Products page and select the document from the list.

Spectralink 8440/8441 and 8450/8452/8453

VIEW Partner	AP Models	WLAN Controller Models	QoS	Security	Software Version
Alcatel-Lucent	41, 60, 61, 65, 68, 70, 9x, 10x, 12x, 13x	OmniAccess 43xx, 4504, 4604, 4704, 6000	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	6.1.3.4
Aruba	41, 60, 61, 65, 68, 70, 9x, 10x, 12x, 13x	6xx, 3xxx, 6000	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	6.1.3.4
Avaya(Nortel)	8100 Series	8180	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	2.0.0.084
Avaya (Juniper)	233x	WSS 2350,2360, 2361, 2380, 2382; MX2800	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	7.6.3.1
Brocade	AP 7131N, 7131, 650 (650 must have controller)	RFS 4000, 6000, 7000 or standalone	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	5.2.3.0
Cisco	60x, 70x, AP801, AP802, 104x, 113x, 114x, 124x, 125x, 126x, 155x, 160x, 260x, 350x, 360x	2500, 5500, 7500, 8500, WLC SW for SRE, WiSM2, Virtual Controller	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	7.4.110.0 7.5.102.0
	60x, AP801, AP802, 104x, 113x, 114x, 124x, 125x, 126x, 155x, 260x, 350x, 360x	2500, 5500, WiSM2, WLC SW for SRE	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	7.3.101.0 7.2.110.0
	60x, AP801, AP802, 104x, 1121, 113x, 114x, 122x, 123x, 124x, 125x, 126x, 13xx, 155x, 350x	2100, 2500, 4400, 5500, 7500, 3750G, WLC SW for SRE, WiSM, WiSM2	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	7.0.220.0
	AP801, 113x, 114x, 1121, 122x, 123x, 124x, 125x, 13xx	2100, 4400, 5500, 3750G, WiSM, WLC Module	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	6.0.202.0
	104x, 114x, 126, 160x, 260x, 350x, 360x	autonomous	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	15.2.4-JA1
Dell	W-AP68, 92/93, 104/105, 124/125, 134/135	W-620, 650,651, 3200, 3400, 3600, 6000/6000M3	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	6.1.3.4
Enterasys	3605,3610,3620,3630, 3640	C 20, 25, 4110, 5110, 5210; V2110	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	8.11.06.0002
Extreme Networks	AP 4532, 4600 (4600 must have controller), 4710, 4750, 4760	WM 3400, 3411, 3600, 3700 or standalone	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	5.2.3.0

VIEW Partner	AP Models	WLAN Controller Models	QoS	Security	Software Version
Juniper (Trapeze)	WLA372, 422, 432, 522, 522E, 532, 532E	WLC2, 8, 200, 216, 800, 880, 2800	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	7.6.3.1
Meru Networks	AP3xx	MC1000, 1500, 3000, 4100, 5000	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	4.0SR5-5
Motorola	AP 6532, 7131N, 7161, 650 (650 must have controller)	RFS 4010, 4011, 6010, 7010; NX 9000, 9500	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	5.2.3.0
Ruckus	ZF 7363, 7982	ZD 1100, 3000, 5000	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	9.5.0.99.124

Spectralink 8020/8030

VIEW Partner	AP Models	WLAN Controller Models	QoS	Security	Software Version
Alcatel-Lucent	60, 61, 65, 70, 105, 12x	OmniAccess 43xx, 4504, 4604, 4704, 6000	SVP Wi-Fi Standard†	WPA/WPA2 PSK WPA2 Enterprise†	6.1.3.4
Aruba	41, 60, 61, 65, 68, 70, 9x, 105, 12x, 13x	6xx, 3xxx, 6000	SVP Wi-Fi Standard†	WPA/WPA2 PSK WPA2 Enterprise†	6.1.3.4
Avaya(Nortel)	8120	8180	Wi-Fi Standard†	WPA/WPA2 PSK WPA2 Enterprise†	1.0.0.0
Avaya (Juniper)	2330X, 2332	WSS 2350, 2360, 2361, 2380, 2382, MX2800	SVP Wi-Fi Standard†	WPA/WPA2 PSK WPA2 Enterprise†	7.6.3.1
Brocade	AP 7131N, 7131, 650 (650 must have controller)	RFS 4000, 6000, 7000 or standalone	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	5.2.3.0
Cisco	60x, 70x, AP801, AP802, 104x, 113x, 114x, 124x, 125x, 126x, 155x, 160x, 260x, 350x, 360x	2500, 5500, 7500, 8500, WLC SW for SRE, WiSM2, Virtual Controller	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	7.4.110.0 7.5.102.0
	60x, AP801, AP802, 104x, 113x, 114x, 124x, 125x, 126x, 155x, 260x, 350x, 360x	2500, 5500, WiSM2, WLC SW for SRE	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	7.3.101.0 7.2.110.0
	60x, AP801, AP802, 104x, 1121, 113x, 114x, 122x, 123x, 124x, 125x, 126x, 13xx, 155x, 350x	2100, 2500, 4400, 5500, 7500, 3750G, WLC SW for SRE, WiSM, WiSM2	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	7.0.220.0
	AP801, 113x, 114x, 1121, 122x, 123x, 124x, 125x, 13xx	2100, 4400, 5500, 3750G, WiSM, WLC Module	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	6.0.202.0
	104x, 114x, 126x, 160x, 260x, 350x, 360x (autonomous)	Not applicable	SVP Wi-Fi Standard† CCXv4†	WPA/WPA2 PSK WPA2 Enterprise†	15.2.4-JA1
	W-AP68, 92/93, 104/105, 124/125, 134/135	W-620, 650,651, 3200, 3400, 3600, 6000/6000M3	SVP Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	6.1.3.4
Enterasys	3605, 3610, 3620, 3630, 3640	C 20, 25, 4110, 5110; C5210, V2110	Wi-Fi Standard†	WPA/WPA2 PSK WPA2 Enterprise†	8.11.06.0002
Extreme Networks	AP 4532, 4600 (4600 must have controller), 4710, 4750, 4760	WM 3400, 3411, 3600, 3700 or standalone	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	5.2.3.0
Hewlett-Packard	MSM 310, 320, 410, 422, 430, 46x	MSM 710, 720, 760, 765	SVP	WPA/WPA2 PSK	5.7.1
Juniper (Trapeze)	WLA 372, 422, 432, 522, 522E, 532, 532E	WLC2, 8, 200, 216, 800, 880, 2800	SVP Wi-Fi Standard†	WPA/WPA2 PSK WPA2 Enterprise†	7.6.3.1
Meru Networks	AP3xx	MC 1000, 1500, 3000, 4100, 5000	Wi-Fi Standard†	WPA/WPA2 PSK WPA2 Enterprise†	4.0SR5-5
Motorola	AP 6532, 7131N, 7161, 650 (650 must have controller)	RFS 4010, 4011, 6010, 7010; NX 9000, 9500	Wi-Fi Standard	WPA/WPA2 PSK WPA2 Enterprise	5.2.3.0
	AP300	WS5100	SVP	WPA/WPA2 PSK	3.1

VIEW Partner	AP Models	WLAN Controller Models	QoS	Security	Software Version
	AP300	RFS7000	SVP	WPA/WPA2 PSK	1.1.0.0
	AP300	RFS6000	SVP	WPA/WPA2 PSK	3.3.1.0

† Deployments using Wi-Fi Standard QoS, WPA2 Enterprise, or CCXv4 require Release 3.0 software or higher installed on the Spectralink 8020/8030, which is available for SIP and all OEM branded handsets. Release 3.0 is not available for Spectralink 8020/8030 connecting through a Telephony Gateway.

Copyright Notice

© 2002-2013 Spectralink Corporation All rights reserved. Spectralink™, the Spectralink logo and the names and marks associated with Spectralink's products are trademarks and/or service marks of Spectralink Corporation and are common law marks in the United States and various other countries. All other trademarks are property of their respective owners. No portion hereof may be reproduced or transmitted in any form or by any means, for any purpose other than the recipient's personal use, without the express written permission of Spectralink.

All rights reserved under the International and pan-American Copyright Conventions. No part of this manual, or the software described herein, may be reproduced or transmitted in any form or by any means, or translated into another language or format, in whole or in part, without the express written permission of Spectralink Corporation.

Do not remove (or allow any third party to remove) any product identification, copyright or other notices.

Notice

Spectralink Corporation has prepared this document for use by Spectralink personnel and customers. The drawings and specifications contained herein are the property of Spectralink and shall be neither reproduced in whole or in part without the prior written approval of Spectralink, nor be implied to grant any license to make, use, or sell equipment manufactured in accordance herewith.

Spectralink reserves the right to make changes in specifications and other information contained in this document without prior notice, and the reader should in all cases consult Spectralink to determine whether any such changes have been made.

NO REPRESENTATION OR OTHER AFFIRMATION OF FACT CONTAINED IN THIS DOCUMENT INCLUDING BUT NOT LIMITED TO STATEMENTS REGARDING CAPACITY, RESPONSE-TIME PERFORMANCE, SUITABILITY FOR USE, OR PERFORMANCE OF PRODUCTS DESCRIBED HEREIN SHALL BE DEEMED TO BE A WARRANTY BY SPECTRALINK FOR ANY PURPOSE, OR GIVE RISE TO ANY LIABILITY OF SPECTRALINK WHATSOEVER.

Contact Information

US Location

800-775-5330

Spectralink Corporation
2560 55th Street
Boulder, CO 80301

info@spectralink.com

Denmark Location

+45 7560 2850

Spectralink Europe ApS
Langmarksvej 34
8700 Horsens

infodk@spectralink.com