# ProductSheet Poly CCX 350 Business Media Phone for Microsoft Teams and PoEenabled GSA/TAA (8F3G3AA)

## **Exceptionally accessible**

Get everything you want from a desk phone: CCX 350 Microsoft Teamsintegrated IP phone offers quality HD audio, giving you incredible value at a great price. Durable construction and seamless keypad design make this a phone for any environment.





#### Catch every word

Never miss a word or inflection with the industry's best sound quality. Thanks to Poly's exclusive HD Voice with Poly Acoustic Clarity technologies, you'll eliminate misunderstandings and save time simply by hearing every word.

#### Offers a classic dial pad

The traditional physical dial pad is ideal for small and home office users who prefer a non-touch screen experience, as well as vision-impaired users who need a dial pad.

#### Reduce background noise

Our exclusive Poly Acoustic Fence and NoiseBlockAI technologies reduce distracting background noise by eliminating it at the source. It's perfect for conveying a quiet ambiance, even in crowded open offices and other noisy environments.

## Featuring

#### Easy to set up and install

The two-position stand and optional wall mount makes it a breeze to set up on desktops, lobbies, or kitchen walls.<sup>[1]</sup>

#### Keeps conversations on track

This full-duplex speakerphone offers world-class echo cancellation, ensuring that your conversations aren't disturbed by echo or feedback. You can converse naturally, without your caller sounding like they're caught in a tunnel.

#### Accessibility

The physical dial pad and illuminated keys offer easier access for users with vision impairment and other disabilities.

#### Rugged, durable design

Durable design, debris resistance, and a seamless keypad design make it ideal for glove-hand use in retail, warehouse, and manufacturing locations.

#### Easy management via Poly Lens

Take control of your deployment from anywhere via remote management with Poly Lens cloudbased device management software. ProductSheet | Poly CCX 350 Business Media Phone for Microsoft Teams and PoEenabled GSA/TAA (8F3G3AA) **Specifications** 

Display size (diagonal)	7.1 cm (2.8")
Display size (diagonal)	2.8"
Panel technology	Color LCD
Audio	Poly Acoustic Clarity technology provides full duplex conversations, acoustic echo cancellation, and background noise suppression; Individual volume settings with visual feedback for each audio path; Comfort noise generation; DTMF tone generation (RFC 2833 and in-band); Low delay audio packet transmission; Adaptive jitter buffers
Ports	1 USB 2.0 Type-C $^{\circ}$ (for media and storage applications); 2 RJ-45 (10/100/1000BASE-TX Mbps)
Package dimensions (W x D x H)	22.2 x 24.3 x 6.9 cm
Package weight	300 g
Energy star certified	ENERGY STAR® certified
Special features	Adjustable desk stand (2 positions) <sup>[1]</sup>
Security management	Digest authentication; Encrypted configuration files; HTTPS secure provisioning; Password login; Support for signed software executables; Support for URL syntax with password; Transport Layer Security (TLS); Media encryption via SRT
UPC number	197497475319
Manufacturer Warranty	Poly standard one-year limited warranty
What's in the box	Console; Desk stand; Handset with handset cord; Network (LAN) cable-CAT-5E; Setup sheet

**Poly Support Services** 

3 Year Poly+ CCX 350 Business Media Phone Service

P49690312

ProductSheet | Poly CCX 350 Business Media Phone for Microsoft Teams and PoEenabled GSA/TAA (8F3G3AA)

## **Messaging Footnotes**

[1] Wall mount is an optional accessory, sold separately.

## **Technical Specifications Footnotes**

[1] Optional wall mount kit can be ordered separately.

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

