



Poly EncorePro HW710 Single Ear Headset +Carry Case +Quick Disconnect TAA (805H7AA)

Overview

Better contact center calls

A high-performing headset is the foundation for a great contact center experience. EncorePro 700 Series features excellent noise canceling for accurate voice interactions and fewer repeats. So, both caller and agent feel heard and secure.

Empower your agents

Enjoy all-day comfort, superior audio quality, and built-in control. A better call center experience benefits both teams and customers, ultimately leading to improved business outcomes.

Hear every word

Perfect for busy contact centers, these headsets guarantee clear and distraction-free communication, allowing both parties to hear each other without any difficulty. Thanks to precision positioning and effective noise cancellation.

Features

Noise-canceling mic

Experience richer and clearer conversations with our wideband audio and noise-canceling microphone. Say goodbye to listening fatigue as it reduces strain and enhances the overall call quality.

Unique boom design

Conveniently situated microphone arm stays clear of user's peripheral vision while the unique, extendable boom ensures precise positioning and enables optimal noise cancellation.

Sleek design + materials

Enjoy an elegant, satin finish and slim, stylish design that adds a touch of sophistication. Our headsets feature premium nylon composite materials, ensuring an ultralightweight design without compromising on durability.

Expanded compatibility

Walk away from your desk with a click thanks to Poly Quick Disconnect (QD) technology that works with any Poly QD adapter.

Optimized for communications platforms

An IT manager's dream, this headset was created for communication and is optimized and certified to work with top virtual meeting providers.^[1]

Acoustic hearing protection

SoundGuard is the acoustic limiting technology that is present in all communications headsets from Poly that protects against Acoustic Shock by limiting sounds to below 118dBA.

[1] Visit <https://www.poly.com/us/en/products/headsets/encorepro/encorepro-700> for more detail.

Specifications

Package dimensions (W x D x H)	175 x 149 x 55 mm
Package weight	300 g
UPC number	(ABA) 197497173789; (ABB) 197497173796
Manufacturer Warranty	Poly standard two-year limited warranty
What's in the box	Carrying case; Headset

Additional specifications

Acoustic protection technology	SoundGuard ^[1]
Boom mic length (mm)	120 - 145 mm
Boom mic rotation	290°
Cable length	890 mm
Cable length (imperial)	35 in
Cartons per layer	6
Cartons per pallet	18
Color	Black
Compatible Operating Systems	Windows 11; Windows 10; macOS
Connection type	Wired: QD (Quick-Disconnect)
Country of origin	Made in Mexico
ECCN	EAR99
Ear cushions	Artificial leather (surface material)
HTS code	8518302000
Headphone type	On-ear (monoaural)
Microphone bandwidth	100 Hz to 6.8 kHz
Microphone type	Noise cancelling
Multiple order quantity	36
Package dimensions (W x D x H)	7.48 x 8.26 x 2.16 in
Package weight	0.66 lb
Pallet (layers)	3
Pallet dimensions	40 x 48 x 58.66 in
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Pallet weight	425 lb
Pallet weight	192.78 kg
Products per pallet	648
Products per pallet layer	216
Speaker bandwidth	80 Hz to 20 kHz
Speaker size	28 mm
UNSPSC code	52161514

[1] Protects against Acoustic Shock by limiting sounds to below 118 dBA.

Communication & Collaboration

★ : Recommended

Poly Support Services

3 year Poly+ EncorePro Service	PENCORP312 ★
3 year Partner Poly+ EncorePro Service	PENCORP362

Audio

★ : Recommended

Audio Accessories

Poly 2.5mm to QD Cable (0.45M)	85Q30AA
Poly 2.5mm to QD Cable (3M)	85Q32AA
Poly 3.5mm to QD Cable (0.15M)	85Q37AA
Poly 3.5mm to QD Cable (3M)	85Q40AA
Poly 3.5mm to QD Cable for IP Touch (3M)	85Q43AA
Poly 4 Pin QD to 6 Pin QD Cable	85Q45AA
Poly 4 Pin QD to 6 Pin QD Cable (0.13M)	85Q47AA
Poly A10-11 Adapter	85Q14AA
Poly A10-12 Adapter (S1 Plug)	85S26AA
Poly A10-16 Adapter	85T17AA
Poly A10-16 Adapter (Bagged)	85T18AA
Poly Blackwire 5200 Y Training Cable	85S08AA
Poly CA22CD-SC Single Channel Remote with Battery	85Q92AA
Poly DA75 USB to QD Black Adapter TAA	786C6AA
Poly DA85 USB to QD Black Adapter TAA	786C7AA
Poly DA85-M USB to QD Black Adapter TAA	786C8AA
Poly DA90 USB to QD Adapter	85T19AA
Poly EncorePro HW510/520 Foam Ear Cushions (2 Pieces)	85Q31AA
Poly EncorePro HW510/520 Leatherette Ear Cushions (2 Pieces)	85Q36AA
Poly EncorePro HW510V/520V Voice Tube	85Q39AA
Poly EncorePro HW530/540 Foam Ear Cushion (1 Piece)	85R18AA
Poly EncorePro HW530/540 Large Leatherette Ear Cushion (1 Piece)	85R21AA
Poly EncorePro HW530/540 Large and Small Earloops	85R19AA
Poly EncorePro HW530/540 Small Leatherette Ear Cushion (1 Piece)	85R23AA
Poly EncorePro HW700 Foam Ear Cushions and Mounting Plates (2 Pieces)	85R24AA
Poly EncorePro HW700 Leatherette Ear Cushions and Mounting Plates (2 Pieces)	85R27AA
Poly HIC-10 Cable	783S2AA
Poly HIS Cable TAA	783S3AA
Poly M22 Adapter	85T20AA
Poly M22 Narrowband Adapter	85T21AA

Poly M22 Phone Cable (1M)	85R33AA	
Poly M22 to 2.5mm Cable (0.5M)	85R36AA	
Poly M22 to QD U10 Cable	85R38AA	
Poly MDA100 QD USB-A Analog Switch	8A7E1AA	
Poly MDA105 QD USB-A Analog Switch	8A7E2AA	
Poly MDA524 QD USB-A	8L544AA	
Poly MDA524 USB-C	85Q24AA	
Poly MDA526 QD USB-A	8L547AA	obsolete
Poly Poly to GN QD Converter	85R64AA	
Poly QD to QD Extension Cable (3M)	85R66AA	
Poly QD to QD Lightweight Extension Cable (10ft)	920P2AA	
Poly QD to QD Lightweight Extension Cable with QD Lock	85R69AA	
Poly Quick Disconnect IN-LINE MUTE Control KIT	920P8AA	
Poly Savi 740/745 Neckband	85R32AA	
Poly U10P Short End Cable	784Q5AA	
Poly U10P-S Cable	784S0AA	
Poly U10P-S19 Cable	784S2AA	
Poly Y Training Cable	85S07AA	
Poly Y Training Cable with QD Lock-Digital Headsets	85S09AA	

Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Feb 26, 2025 7:00 PM UTC+0000