# Poly Voyager Surround 85 UC Microsoft Teams Certified USB-C Headset +USB-C/A Adapter +Charging Stand (8G7T8AA)



## **Overview**

#### Crafted for your work life

Experience limitless productivity with our boomless Bluetooth<sup>®</sup> headset, designed to deliver rich, clear audio for calls and music. Enjoy optimal comfort, adaptive ANC, and wireless charging, enabling you to work effortlessly anywhere, anytime.

### Clear audio, focused work

Engage in what's important and avoid distractions with a headset that delivers rich, clear audio for calls and music. Work where you want and sound your best with 6 built-in boomless mics plus 4 more to support adaptive ANC.

### Concentrate in real comfort

Experience long-lasting comfort while you focus on work. You'll forget you're wearing a headset with the sleek carbon fiber design, ultra-soft ear cups, and adjustable headband for a weightless fit.

## All day productivity

Boost efficiency with a headset and wireless charge stand designed to work as hard as you do. Experience non-stop communication with effortless docking, ensuring 21-hour talk time. Stay connected without skipping a beat.

### Get in the zone

Stay focused and keep out the distractions of the outside world with adaptive ANC and over-the-ear design.

### Take your call anywhere

Sound your best where you work with 6 built-in microphones for clear transmit audio without the noise — in a boomless design.

### Declutter and stay charged

Our wireless NFC charge stand keeps you talking all day. Dock your headset seamlessly and always know the charge status with the LED indicator. The sleek design features a no-slip base, 1.5 m USB-C cable, and tidy cable management.

### Extended talk time

Say goodbye to battery anxiety. Talk all-day and stay charged up with our wireless charge stand ensuring up to 21 hours of talk time or up to 24 hours of listen time.

## **Touch controls**

Control your calls and pause/play your music with easy-to-use touch controls. With just one click, you can mute yourself with a dedicated button.

#### **Ultimate listening bliss**

Discover unparalleled comfort in our innovative lightweight carbon fiber design featuring an ergonomic headband for even pressure distribution, slanted audio drivers for comfort, and larger ear cushions for enhanced noise-cancellation.

# Specifications

Audio	Hybrid Active noise cancellation (ANC); Transparency mode; Microsoft Teams Open Office certified
Dimensions (W x D x H)	191 x 77 x 181 mm
Dimensions (W x D x H)	7.52 x 3.03 x 7.13 in
Weight	275 g
Weight	0.6 lb
Package weight	300 g
Battery life	Up to 24 hours (music time); Up to 21 hours (talk time)
Special features	Smart sensor technology
Manufacturer Warranty	Poly standard two-year limited warranty
What's in the box	Carrying case; User guide; Wireless headset; USB charging cable; BT700 Bluetooth® Type-C® adapter; USB Type-C® to USB Type-A adapter; USB Type-C® to 3.5 mm audio cable

# Additional specifications

Acoustic protection technologySoundGuard Digital <sup>1,21</sup> Battery typeRechargeable Li-ionBuetooth versionBuetooth* Core 5.3Button user controlsMute; Power on/off/pairingCartons per layer10Cartons per pallet70Cartified collaboration softwareMicrosoft Teams Open OfficeCharge time<1 hourCorpatible Operating SystemsWindows 11; Windows 10; macOS; Androim*; iOSConnetion typeWireless: Bluetooth*, USB Type-C* BT700, USB Type-C*/A adapterDatasheet photo 1AHID/6dd3cc859ccd553el3253el3769f44bdae758ecaECNEAR99EctablesOC CertifiedHordscare material)ST7620090Hanagement SoftwarePoly LensMicrophone typeNiel cancellingMurber of microphonesJoi 20Package weight0Acta Case Social Size		
Buetooth versionBluetooth® Core 5.3Button user controlsMute: Power on/off/pairingCartons per layer10Cartons per pallet70Cartified collaboration softwareMicrosoft Teams Open OfficeCharge time<1 hour	Acoustic protection technology	SoundGuard Digital <sup>[1,2]</sup>
Button user controlsMute; Power on/off/pairingGatons per layer10Catons per pallet70Catrons per pallet41 hourCharge time<1 hourCorpatible Operating SystemsWindows 11; Windows 10; macOS; Android®; 10SConnection typeWindows 11; Windows 10; macOS; Android®; 10SConnection typeWindows 11; Windows 10; macOS; Android®; 10SConnection typeWindows 10; macOS; Android®; 10SConnection typeAntificial teather (surface material)EdublesTO CertifiedMargement SoftwareNoise cancellingMicrophone typeNoise cancellingMutiple order quantity1Nichos for the surface materialNoise cancellingPakage melgintOfe bPakage weightGe bPaket dimensions (W x D x H)7Paket dimensions (W x D x H)101 x 121 x 14 ngPaket dimensions (W x D x H)101 x 121 x 14 ngPaket dimensions (W x D x H)101 x 121 x 14 ngPaket weightNoise X x 25 x 26 inPaket dimensions (W x D x H)101 x	Battery type	Rechargeable Li-ion
Cartons per layer10Cartons per pallet70Certified collaboration softwareMicrosoft Teams Open OfficeCharge time<1 hourColorBlackCompatible Operating SystemsWindows 10; macOS; Android™; IOSConnection typeWireless: Bluetooth®, USB Type-C® BT700, USB Type-C®/A adapterDatasheet photo 1AHID/6d43cc859ccd553eb3253e19769f44bdae758ecaECCNEAR99Ear cushionsCol CertifiedHTS codeB17620090Indicator lightOn callMicrophone typeNoise cancellingMittiple order quantity1Noise cancellingNoise cancellingMuttiple order quantityA48x 58.66 inPalet dimensions (W x D x H)016 x121.9 x 149 cmPallet dimensions (W x D x H)016 x 121.9 x 149 cmPallet dimensions (W x D x H)S7 kg	Bluetooth version	Bluetooth <sup>®</sup> Core 5.3
Cartons per pallet70Certified collaboration softwareMicrosoft Teams Open OfficeCharge time<1 hourChorge timeBlackCompatible Operating SystemsWindows 10; macOS; Android™; IOSConnection typeWireless: Bluetooth®, USB Type-C® BT700, USB Type-C®/A adapterDatasheet photo 1AHID/Gd43c85scd553sd3253e13769f44bdae758ecaECCNEAR99Ear cushionsArtificial leather (surface material)FoldedsTOC certifiedIndicator lightOn callManagement SoftwarePoly LensMitrophone typeNoise cancellingMuther of microphones1Artas 2.6.2.16 inNoise cancellingPalea devicesVia S.2.6.6 inPalet dimensions (W x D x H)10.4.2.1.9.1.4.9.Palet dimensions (W x D x H)0.4.8.2.8.6.6 inPalet dimensions (W x D x H)0.1.6.2.1.9.1.4.9.Palet dimensions (W x D x H)	Button user controls	Mute; Power on/off/pairing
Certified collaboration softwareMicrosoft Teams Open OfficeCharge time<1 hourColorBlackCompatible Operating SystemsWindows 11; Windows 10; macOS; Android™; iOSConnection typeWireless: Bluetooth®, USB Type-C® BT700, USB Type-C®/A adapterDatasheet photo 1AHID/6d43cc859ccd553eb3253e19769f44bdae758ecaECCNEAR99Ear cushlonsArtificial leather (surface material)FoclabelsTCO CertifiedHTS code8517620090Management SoftwarePoly LensMikrophone typeNoise cancellingMuthpe of microphones10Ausse de dimensions (W x D x H)148 x 8.26 x 2.16 inPalet dimensions (W x D x H)7Pallet dimensions (W x D x H)10.5 x 121.9 x 149 cmPallet dimensions (W x D x H)357 kg	Cartons per layer	10
Charge timei hourChoreBlackCompatible Operating SystemsWindows 11; Windows 10; macOS; Android™; OSConnection typeWireless: Bluetooth®, USB Type-C®HA adapterDatasheet photo1AHD/6d43c859cd553e13269f44bdae758ecaECCNEAR9Ear cushionsVitificial leather (surface material)FoclobelsTOC CertifiedHTS codeS1762009Indicator lightOi callManagement SoftwareOi Valto 16 kHzMitrophone typeOi Slace callingMitrophone typeOi Slace callingMuther of microphones10Package winghtOise CallingPackage winghtOise CallingPater diverseSi 162 No.Pater diverseOise CallingPater diverseOise CallingPater diverseOise CallingPater diverseSi 162 No.Pater diverseSi 162 No.Pater diverseOise CallingPater diverseSi 162 No.Pater diverseSi 162 No.Pater diverseSi 162 No.Pater diverseSi 163 No. <t< th=""><th>Cartons per pallet</th><th>70</th></t<>	Cartons per pallet	70
ColorBlackCompatible Operating SystemsWindows 11; Windows 10; macOS; Android™; iOSConnection typeWireless: Bluetooth®, USB Type-C® BT700, USB Type-C®/A adapterDatashet photo 1AHID/6d43cc859ccd553eb3253e19769f44bdae758ecaECCNEAR99Ear cushionsArtificial leather (surface material)EcolabelsTCO CertifiedIndicator lightOn callManagement SoftwarePoly LensMicrophone bandwidth20 Hz to 16 kHzMutiple order quantity1Package dimensions (W x D x H).48 x 82.6 x 2.16 inPalet dimensions0 to 2Palet dimensions (W x D x H).7Palet dimensions (W x D x H).01.6 x 121.9 x 149 cmPalet dimensions (W x D x H).01.6 x 121.9 x 149 cmPalet dimensions (W x D x H).01.6 x 121.9 x 149 cmPalet weight.01.6 x 121.9 x 149 cmPalet weight.01.6 x 121.9 x 149 cm	Certified collaboration software	Microsoft Teams Open Office
NoCompaction OpeWindows 11; Windows 10; macOS; Android™; iOSConnection typeWireless: Bluetooth®, USB Type-C®H700, USB Type-C@A adapterDatasheet photo 1AHID/6d43cc859ccd553eb3253e19769f44bdae758ecaECCNEAR99Ear cushionsArtificial leather (surface material)EcolabelsTCO CertifiedHTS codeS17620090Indicator lightOn callManagement SoftwarePoly LensMicrophone bandwidth20 Hz to 16 kHzMultiple order quantity1Noise cancellingMuttiple order duantity1,48 x 8.26 x 2.16 inPackage dimensions (W x D x H)74Palet dimensions0 to 2Palet dimensions (W x D x H)10.16 x 12.19 x 14.90 mPalet dimensions (W x D x H)37 kg	Charge time	<1 hour
Connection typeWireless: Bluetooth®, USB Type-C® BT700, USB Type-C®/A adapterDatasheet photo 1AHID/6d43cc859ccd553eb3253e19769f44bdae758ecaECCNEAR99Ear cushionsArtificial leather (surface material)EcolabelsTCO CertifiedHTS code8517620090Indicator lightOn callManagement SoftwarePoly LensMicrophone bandwidth20 Hz to 16 kHzMitrophone typeNoise cancellingMuthpe order quantity1Package dimensions (W x D x H)7.48 x 8.26 x 2.16 inPallet dimensions (W x D x H)0.66 lbPallet dimensions (W x D x H)10.16 x 121.9 x 149 cmPallet weight0.16 x 7 x 8.26 x 3.06 in	Color	Black
Datasheat photo 1AHID/6d43cc859ccd553eb3253e19769f44bdae758ecaECCNEAR99Ear cushionsArtificial leather (surface material)EcolabelsTCO CertifiedHTS code8517620090Indicator lightOn callManagement SoftwarePoly LensMicrophone bandwidth20 Hz to 16 kHzMitrophone typeNoise cancellingMuthpe of microphones10Package dimensions (W x D x H)Oe GlbPallet (layers)7Pallet dimensions (W x D x H)01.6 x 121.9 x 149 cmPallet weight357 kg	Compatible Operating Systems	Windows 11; Windows 10; macOS; Android™; iOS
ECCNEAR99Ear cushionsArtificial leather (surface material)EcolabelsTCO CertifiedHTS code8517620090Indicator lightOn callManagement SoftwarePoly LensMicrophone bandwidth20 Hz to 16 kHzMuther of microphones10Muther of microphones10Package dimensions (W x D x H).48 x 8.26 x 2.16 inPalet (layers)7Pallet dimensions (W x D x H)0.16 x 121.9 x 149 cmPallet weight0.16 x 121.9 x 149 cmPallet weight357 kg	Connection type	Wireless: Bluetooth <sup>®</sup> , USB Type-C <sup>®</sup> BT700, USB Type-C <sup>®</sup> /A adapter
Far cushionsrtificial leacher (sur face material)EcolabelsCO CertifiedHTS codeS17620090Indicator lightOn callManagement SoftwarePoly LensMicrophone bandwidthOly EconcellingMicrophone typeNoise cancellingMuther of microphones1Package dimensions (W x D x H)Noise S2 x 2.16 inPater devicesO 10Pater data instanceNoise S2 x 2.16 inPater devicesO 10 x 2.15 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater devicesO 10 x 2.15 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise S2 x 2.16 inPater dimensions (W x D x H)Noise	Datasheet photo 1	AHID/6d43cc859ccd553eb3253e19769f44bdae758eca
FcolabelsTCO CertifiedHTS codeS57620090Indicator lightOn callManagement SoftwarePoly LensMicrophone bandwidth20 Hz to 16 kHzMicrophone typeNoise cancellingMultiple order quantity1Package dimensions (Wx D x H)Ode UPallet dimensions (Wx D x H)Oi to 21 A 21	ECCN	EAR99
HTS codeSi17620090Indicator lightOn callManagement SoftwarePoly LensMicrophone bandwidthO 30 Fact on CallingMutiple order quantity10Number of microphones0.61 SaccacellingPackage dimensions (W x D x H)One Soccace Social Saccace Social Sacca	Ear cushions	Artificial leather (surface material)
Indicator lightOn callManagement SoftwarePoly LensMicrophone bandwidth20 Hz to 16 kHzMicrophone typeNoise cancellingMultiple order quantity1Number of microphones10Package dimensions (W x D x H)7.48 x 8.26 x 2.16 inPated devicesUp to 2Pallet (layers)7Pallet dimensions (W x D x H)10.6 kBPallet dimensions (W x D x H)30.7 kgSoft Signal dimensions (W x D x H)10.6 kBPallet dimensions (W x D x H)30.7 kg	Ecolabels	TCO Certified
Management SoftwarePoly LensMicrophone bandwidth20 Hz to 16 kHzMicrophone typeNoise cancellingMultiple order quantity1Number of microphones10Package dimensions (W x D x H)7.48 x 8.26 x 2.16 inPackage weight0.66 lbPatet dimensionsYou 20 x 2.05 inPallet dimensions (W x D x H)10 x 2.05 x 2.16 inPallet dimensions0.78 x 8.26 x 2.16 inPallet dimensions0.61 bPallet dimensions0.70 x 2.05 inPallet dimensions (W x D x H)0.70 x 2.05 inPallet dimensions0.16 x 2.16 inPallet dimensions0.16 x 2.16 inPallet dimensions0.57 kg	HTS code	8517620090
Microphone bandwidth20 Hz to 16 kHzMicrophone typeNoise cancellingMultiple order quantity1Number of microphones0Package dimensions (W x D x H)7.48 x 8.26 x 2.16 inPackage weight0.66 lbPaired devicesUp to 2Pallet (layers)7Pallet dimensions (W x D x H)101.6 x 121.9 x 149 cmPallet weight357 kg	Indicator light	On call
Microphone typeNoise cancellingMultiple order quantity1Number of microphones10Package dimensions (W x D x H)7.48 x 8.26 x 2.16 inPackage weight0.66 lbPater devicesUp to 2Pallet (layers)7Pallet dimensions (W x D x H)10.6 x 8.26 x 6.10 x 10.00 x 10.0	Management Software	Poly Lens
Multiple order quantity1Number of microphones10Package dimensions (W x D x H)7.48 x 8.26 x 2.16 inPackage weight0.66 lbPaired devicesUp to 2Pallet (layers)7Pallet dimensions (W x D x H)0.64 x 58.66 inPallet dimensions (W x D x H)101.6 x 121.9 x 149 cmPallet weight357 kg	Microphone bandwidth	20 Hz to 16 kHz
Number of microphones       10         Package dimensions (W x D x H)       7.48 x 8.26 x 2.16 in         Package weight       0.66 lb         Paired devices       Up to 2         Pallet (layers)       7         Pallet dimensions (W x D x H)       10.6 x 8.26 x 9.00 x 9	Microphone type	Noise cancelling
Package dimensions (W x D x H)7.48 x 8.26 x 2.16 inPackage weight0.66 lbPaired devicesUp to 2Pallet (layers)7Pallet dimensions (W x D x H)40 x 48 x 58.66 inPallet dimensions (W x D x H)101.6 x 121.9 x 149 cmPallet weight357 kg	Multiple order quantity	1
Package weight0.66 lbPaired devicesUp to 2Pallet (layers)7Pallet dimensions40 × 48 × 58.66 inPallet dimensions (W x D x H)101.6 x 121.9 x 149 cmPallet weight357 kg	Number of microphones	10
Paired devicesUp to 2Pallet (layers)7Pallet dimensions40 × 48 × 58.66 inPallet dimensions (W x D x H)101.6 x 121.9 x 149 cmPallet weight357 kg	Package dimensions (W x D x H)	7.48 x 8.26 x 2.16 in
Pallet (layers)7Pallet dimensions40 × 48 × 58.66 inPallet dimensions (W x D x H)101.6 x 121.9 x 149 cmPallet weight357 kg	Package weight	0.66 lb
Pallet dimensions       40 x 48 x 58.66 in         Pallet dimensions (W x D x H)       101.6 x 121.9 x 149 cm         Pallet weight       357 kg	Paired devices	Up to 2
Pallet dimensions (W x D x H)       101.6 x 121.9 x 149 cm         Pallet weight       357 kg	Pallet (layers)	7
Pallet weight   357 kg	Pallet dimensions	40 x 48 x 58.66 in
	Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Pallet weight 787.05 lb	Pallet weight	357 kg
	Pallet weight	787.05 lb
Products per pallet 350	Products per pallet	350
Products per pallet layer 50	Products per pallet layer	50
Sensitivity (microphone) -37 dB FS	Sensitivity (microphone)	-37 dB FS

Sensitivity (speaker)	132 dB SPL
Speaker bandwidth	20 Hz to 20 kHz
Speaker size	40 mm
Supported bluetooth profiles	A2DP; AVRCP; HFP; HSP; AVDTP
Touch user controls	Volume +/-; Play/pause; Track forward/back; Programmable touch control
UNSPSC code	43191638
Wireless range	Up to 30 m
Wireless range (imperial)	Up to 98 ft

[1] SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACIF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted average (TWA).

[2] Requires Poly Lens Desktop App to enable SoundGuard Digital features.

# **Services**

# **Communication & Collaboration**

## **Poly Support Services**

3 year Poly+ Voyager Service	PVOYAG312 ★
3 year Partner Poly+ Voyager Service	PVOYAG362

### $\star$ : Recommended

## **Hybrid Work Solutions**

## Audio

#### ★ : Recommended

### **Audio Accessories**

Poly BT700 USB-A Bluetooth Adapter	786C4AA
Poly BT700 USB-C Bluetooth Adapter	786C5AA
Poly Voyager Surround 80/85 UC 3.5mm Audio Adapter Cable	9C6M4AA
Poly Voyager Surround 80/85 UC Left and Right Ear Cups	9C6M5AA
Poly Voyager Surround 80/85 UC Soft Case	9C6M6AA
Poly Voyager Surround 80/85 UC USB-C to USB-C Charging Cable	9C6M3AA

## Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – May 20, 2025 8:41 PM UTC+0000